

स्वास्थ्य जीमा बोर्ड

टैकु, काठः



फोन नं. : ०१-४१००२२३ टोल फ्री : १६६००१११२२४

टेकु, काठमाडौँ

पत्र संख्या : चलानी नं. :

## सवारी साधन खरिद गर्ने सम्बन्धी सूचना

प्रथम पटक प्रकाशित मिति: २०७८।१०।१९

यस वोर्डलाई आवश्यक पर्ने देहाय बमोजिमको सवारी साधन सार्वजिनक खिरद ऐन, २०६३ को दफा द को उपदफा (१) (क) (८) तथा सार्वजिनक खिरद नियमावली, २०६४ को नियम ३१ (ख) बमोजिम सवारी साधन बिक्री गर्न चाहने उत्पादक तथा आधिकारीक विक्रेताले आ-आफ्नो उत्पादनको आधिकारिक स्पेसिफिकेसन, गुणस्तर, मूल्य र सुविधा सिहतको विवरण (क्याटलग वा ब्रोसर) संलग्न राखी यो सूचना प्रकाशित भएको मितिले ७ (सात) दिन भित्र यस बोर्डमा शिलवन्दी प्रस्ताव पेश गर्नुहुन सम्बन्धित उत्पादक वा आधिकारिक बिक्रेताको जानकारीका लागि यो सूचना प्रकाशित गरिएको छ ।

Type of Vehicle	Requirement (General Specification)	Required Quantity
Double Cab, RHD, 4WD Pick-up	RHD, 4WD, Double Cab Pick-up type vehicle, 4 stroke, Water-cooled Diesel Engine, Developing Maximum Rated Power output not less than 140 HP and Maximum torque should not be less than 320 N-m at governed RPM, Equipped with all necessary accessories, Minimum 1 year's warranty after acceptance and others are as per approved Technical Specification.	1 (one)



## Technical Specification of 4WD Double Cab Pick-up

	CRITERIA	DEPARTMENTAL REQUIREMENT	OFFERED
			SPECIFICATION
1	General	Double Cab Pickup, Right Hand Drive, Four wheel	Make:
		drive, suitable for driving both in ON-ROAD condition	Model:
		giving smooth economic performance and in OFF-ROAD	Country of Origin:
		conditions capable of delivering strong adequate	
		traction and maneuverability/stability needed for safe	
		driving in rough, sandy or slippery and hilly road	
		conditions in Nepal at an altitude up to 2000 meter and	
		in ambient temperature between -5°C to 50°C. The total	
		seating capacity of double cab pickup should be at least	
		5 persons including driver. Gross Vehicle Weight of the	
		vehicle not less than 2700kgs.	
2	Engine	Water cooled diesel Engine , developing rated Power	Make:
		Output not less than 110bhp and Torque not less than	Model:
		280 N-m at governed RPM (engine shall be fully	
		equipped with all necessary items/accessories) for	
		efficient fully load operation of double cab pickup at	
		operating conditions, shall be equipped with cold	
		starting device, direct electric starting system, heavy	
		duty fuel filter.	
3	Emission Standard	The emission standard of the offered vehicle must be in	
		compliance with or superior than the applicable	
		Standard as prescribed by Nepal Vehicle Mass	
		Emission Standard which is to be certified by	
		Department of Transport Management.	
4	Gauges	Fitted with all the gauges, indicators, signals as	
		necessary for efficient operation, functional monitoring,	
	•	vehicle performance and maintenance that includes	
		(but not limited to)Battery charge indicator, water	
		temperature, fuel, oil pressure, transmission gauge etc.	
		with all standard items of offered model vehicle	
5	Clutch	Dry, Single Plate.	
6	Transmission	Manual shift, at least 5 Forward and one reverse, all	
U	1141131111337011	forward synchromesh, floor mounted, 4WD engaged	
		through control at driver.	
7	Ground Clearance	Minimum 210 mm.	
′	Ground Cicaranice	Higher ground clearance preferred	
8	Suspension	Suitable for toughest terrain, smooth ride, stable	
0	Suspension	Handling and comfortable driving conditions.	
		Front: In depending torsion bar or Double wissbone/	
		coil spring and stabilizer.	
		Rear: Leaf springs and shock absorbers	
9	Turning radius	Not more than 6.7 Meters	
		Not less than 60 Ltrs	
10	Fuel tank capacity	Standard Size	
11	Tyres	Power Steering	
12	Steering	rower steering	



		(हम भीमा ू
13	Brakes	Front Disc type, Rear Disc / Drum type, hydraulic
		operated on all wheels, and parking brake.
14	Cab	4 doors, all metallic cab with insulated roof, right hand
		drive, laminated glass windscreen wipers, glass
		windows on doors, through ventilation, comfortable
		and adjustable seats for driver and passenger, two sun
		visors, and two side view mirrors and rear view mirror.
		Rear body to be metallic, pickup type with drop type tail
		board.
15	Chasis and Frame	Steel, heavy duty high rigidity frame structure suitable
		for rough road conditions with hook at front.
16	Essential	Head light, tail and light, reversing light and
	Accessories	turn signals.
		2. Cabin lights.
		3. Speedometer/ odometer.
		4. Heavy duty front bumper.
		5. Spare wheel with tyre and tube
		6. Jack with handle
		7. Front seat belt for driver and co-passenger
M		8. Front dual airbags
		9. Air conditioner.
		10. Power Windows
	,	11. Central Door Locking System
		12. ABS
<u> </u>		13. AM,FM Audio system
		Equipped with all accessories offered in standard
		model but not limited to the above items.
17	Instructions	All signs and instructions in the vehicle shall be in
		English.
18	Manuals	One copy of the Operator's and Owner's Manual in
		English shall be supplied with each vehicle.
19	Tools	A set of tools, with a tool bag, as required for general
		maintenance shall be supplied with each unit.
20	Color	Standard
21	Proven Performance	The bidder shall provide the manufacturer's data of the
		performance of the unit to include the fuel
		consumption, performance curve of the engine.
22	Warranty	Manufacturer shall provide a minimum of one year
	-	warranty after acceptance.
23	Delivery	The Pickup 1 Units shall be delivered to:
		Health Insurance Board, Teku, Kathmandu

## NOTE:

The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.